

# After Your Eye Surgery



The **first week** after your eye surgery, this is what you should do:




- Wash your hands before you put any drops in your eyes.
- Put 1 (one) drop of Prednisolone Acetate 1% (the milky looking medicine) in your eye **4** times a day.
- Put 1 (one) drop of Vigamox in your eye **4** times a day.
- Keep your eye shield on to protect your eye.
- Do not lift anything heavy. Do not bend over.
- Do not strain when having a bowel movement.
- Come back to the eye clinic for your appointment.
- Bring all your medicines (eye drops, too).
- **Before you leave the clinic** be sure you have the appointment date and time of your **1 week follow-up clinic visit.**



**At any time after your eye surgery, go the Emergency Room or call the Eye Clinic at 214-590-5593 (8 am to 4 pm) if you have:**



- A fever of 101° Fahrenheit (38.3° Celsius) or more.
- Very bad pain in your eye.
- A change in your vision (what you see).
- Blood or any other drainage coming from your eye.
- More redness or swelling of your eye.
- A headache with nausea (feeling sick to your stomach) or vomiting.



## The **second week** after your eye surgery:


- Wash your hands before you put any drops in your eyes. Put 1 (one) drop of Prednisolone Acetate 1% (the milky looking medicine) in your eye **3** times a day.
- Put 1 (one) drop of Vigamox in your eye **4** times a day until all the medicine is gone.
- During the day wear sunglasses or eyeglasses. Keep your eye shield on at night.
- Do not lift anything heavy. Do not bend over.
- Do not strain when having a bowel movement.



Call **214-590-5499** to check the date and time of your **4 week follow-up visit** after your eye surgery.

Be sure to keep the appointment.

Bring all your medicines (eye drops, too).



## The **third week** after your eye surgery:

- Wash your hands before you put any drops in your eyes. Put 1 (one) drop of Prednisolone Acetate 1% (the milky looking medicine) in your eye **2** times a day.



## The **fourth week** after your eye surgery:

- Wash your hands before you put any drops in your eyes. Put 1 (one) drop of Prednisolone Acetate 1% (the milky looking medicine) in your eye **1** time each day.

